

10.OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

ATLAS TANKS

180 Gilford Road, Portadown, County Armagh, Northern Ireland BT63 5LE www.atlastanks.co.uk sales@atlastanks.co.uk Tel 028 3831 6677 Fax: 028 3831 6655

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|--------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| 1400VA | Vertical | | 1200 D | 1480 | 1400 | 10mm 1" BSP | T B | 0667120101 |
| 2500VA | Vertical | | 1640 D | 1580 | 2500 | 10mm 1" BSP | T B | 0667120102 |
| 3600VA | Vertical | | 1740 D | 1740 | 3600 | 1 1/2" BSP | T B | 0667120103 |
| 5000VA | Vertical | | 1830 D | 2280 | 5000 | 1 1/2" BSP | T B | |
| 1350HA | Horizontal | 1620 | 1000 | 1170 | 1350 | 10mm 1" BSP | T B | |
| 2500HA | Horizontal | 1970 | 1190 | 1400 | 2500 | 10mm 1" BSP | T B | 0667110702 |
| 1200SA | Slimline | 206 | 660 | 1400 | 1200 | 10mm 1" BSP | T B | 0667030502 |
| 1200LPA | Low Profile | 1620 | 1660 | 980 | 1200 | | | 0667030501 |
| 1150SA | Slimline | | | | 1150 | | | 0667110701 |

BALMORAL TANKS LTD

Balmoral Park, Loirston, Aberdeen AB12 3GY www.balmoraltanks.com tanks@balmoral.co.uk Tel: 01224 859100 Fax: 01224 859123

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|------------|-----------------|------|-------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| H1135 | Horizontal | 1025 | 1125 | 1690 | 1135 | 10mm/1" BSP | B | 0646040901 |
| H1590 | Horizontal | 1180 | 1220 | 2000 | 1590 | 10mm/1" BSP | B | 0646040902 |
| H2500 | Horizontal | 1195 | 1440 | 2353 | 2500 | 10mm/1" BSP | B | 0646040903 |
| H3500 | Horizontal | | | | 3500 | | | 0646040904 |
| V1300 | Vertical | | | | 1300 | | | 0646040910 |
| V2600 | Vertical | 1665 | | Ø1580 | 2600 | 10mm/1" BSP | B | 0646040911 |
| V5000 | Vertical | | | | 5000 | | | 0646040912 |
| V7500 | Vertical | | | | 7500 | | | 0646040913 |
| V10,000 | Vertical | 2920 | | Ø2330 | 10,000 | 10mm/1" BSP | T B | 0646040909 |

10.OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

BLAKE GROUP

30-32 South Fort Street, Edinburgh EH6 5NU www.blakegroup.co.uk info@blakegroup.co.uk Tel: 0131 554 1646 Fax: 0131 553 4128

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|--------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| 1100KR | Rectangular | 1680 | 705 | 1285 | 1100 | 1" BSP | B | 0643070115 |
| 1000SL | Slimline | 1925 | 925 | 1055 | 1100 | 1" BSP | B | 0641119504 |
| 1150SR | Rectangular | 2085 | 610 | 1290 | 1150 | 1" BSP | B | 0641119506 |
| 1200LP | Low Profile | 1990 | 1140 | 870 | 1200 | 1" BSP | B | 0641119505 |
| 1300V | Vertical | | 1260 D | 1262 | 1300 | 1" BSP | B | 0641119402 |
| 1360C | Cylindrical | 1950 | 1100 | 1055 | 1360 | 1" BSP | B | 0641119401 |
| 1800H | Horizontal | 2055 | 1130 | 1145 | 1800 | 1" BSP | B | 0642116916 |
| 2500C | Horizontal | 2280 | 1290 | 1340 | 2500 | 1" BSP | B | 0641099910 |
| 2600C | Cylindrical | 2350 | 1320 | 1335 | 2680 | 1" BSP | B | 0641119403 |
| 2600V | Vertical | | 1700 D | 1410 | 2600 | 1" BSP | B | 0641099911 |
| 2860V | Vertical | | 1600 D | 1700 | 2860 | 1" BSP | B | 0641119507 |
| 3600V | Vertical | | 1840 D | 1750 | 3600 | 1" BSP | B | 0642119615 |
| 5000V | Vertical | | 2040 D | 2260 | 5000 | 1" BSP | B | 0641099912 |
| 10000V | Vertical | | 2550 D | 2540 | 10000 | 1" BSP | B | 06442119614 |

CLAREHILL PLASTICS LTD

21 Clarehill Road, Miora, Co Armagh, Northern Ireland BT67 0PB www.harlequinplastic.co.uk info@clarehill.com Tel: 028 9261 1077 Fax: 028 9261 2672

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | L/D | | | | |
| 650SL | Slimline | 1160 | 525 | 1510 | 663 | 1" BSP | B | 0644030801 |
| 920SL | Slimline | 1165 | 715 | 1530 | 908 | 1" BSP | B | 0644020802 |
| 1100SL | Slimline | 1420 | 690 | 1650 | 1086 | 1" BSP | B | 0644049604 |
| 1200LP | Low Profile | 825 | 1320 | 1740 | 1220 | 1" BSP | B | 0644060503 |
| 1250LP | Low Profile | 945 | 1385 | 1780 | 1250 | 1" BSP | B | 0644079605 |
| 1300SL | Slimline | 1370 | 745 | 1915 | 1274 | 1" BSP | B | 0644020801 |
| 1400BH | Vertical | 1425 | | 1300 | 1425 | 1" BSP | B | 0644129503 |
| 1400HZ | Horizontal | 1135 | 1095 | 1805 | 1383 | 1" BSP | B | 0644010010 |
| 1450VT | Vertical | 1260 | | 1350 | 1400 | 1" BSP | B | 0644100112 |
| 2100HZ | Horizontal | 1270 | 1240 | 2140 | 2005 | 1" BSP | B | 0644010011 |
| 2500HZ | Horizontal | 1410 | 1385 | 2180 | 2520 | 1" BSP | B | 0644010317 |
| 2500VT | Vertical | 1345 | | 1700 | 2540 | 1" BSP | B | 0644010316 |
| 2700HZ | Horizontal | 1405 | 1400 | 2100 | 2650 | 1" BSP | B | 0644010008 |
| 2800BH | Vertical | 1575 | | 1680 | 2800 | 1" BSP | B | 0644129501 |
| 3900VT | Vertical | 1420 | | 2020 | 3730 | 1" BSP | B | 0644019706 |
| 5400VT | Vertical | 1920 | | 2020 | 5035 | 1" BSP | B | 0644010320 |
| 10000VT | Vertical | 3200 | | 2260 | 9595 | 2" BSP | B | 0644070901 |

10.OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

DESO ENGINEERING LTD

Slade Way, Roughmoor Industrial Estate, Williton, Somerset TA4 4TB www.desoengineering.co.uk enquiries@desoengineering.co.uk Tel: 01984 632026 Fax: 01984 634267

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| H1730 | Horizontal | 1890 | 1250 | 1320 | 1730 | 1" BSP | T B | 0668060208 |
| H2575 | Horizontal | 2440 | 1320 | 1320 | 2575 | 1" BSP | T B | |
| V3300 | Vertical | 1530 | 1530 | 2060 | 3300 | 1" BSP | T B | 0668040205 |
| V5000 | Vertical | | | | | | | 0668030701 |
| H1900 | Horizontal | | | | | | | 0668030702 |
| H2500 | Horizontal | | | | | | | 0668030703 |
| V1340 | Vertical | | | | | | | 0668030704 |
| V2455 | Vertical | | | | | | | 0668030705 |
| V3500 | Vertical | | | | | | | 0668030707 |
| R1220 | Rectangular | | | | | | | 0668030709 |
| LP1230 | Low Profile | | | | | | | 0668030710 |
| H1235 | Horizontal | | | | | | | 0668030711 |

MAYWELD ENGINEERING CO LTD

Banners Lane, Halesowen, West Midlands B63 2SD vicki@mayweld.co.uk Tel: 01384 560285 Fax: 01384 411456

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|--------|------|-------------------------|-------------------|-----------------|-------------------|
| | | H | W | D | | | | |
| LP1200 | Low Profile | 890 | 1380 | 890 | 1354 | 1" BSP | B | 0642099509 |
| LP1200 TT | Low Profile | 890 | 1380 | 890 | 1354 | 10mm | B T | 0642099509 |
| H1250 | Horizontal | 1260 | 1120 | 1260 | 1353 | 1" BSP | B | 0642099402 |
| H1250 TT | Horizontal | 1260 | 1120 | 1260 | 1353 | 10mm | B T | 0642099402 |
| H1300 | Horizontal | 1050 | 1150 | 1050 | 1373 | 1" BSP | B | 0642049919 |
| H1350 | Horizontal | 1160 | 1090 | 1160 | 1468 | 1" BSP | B | 0642099403 |
| H1350 TT | Horizontal | 1160 | 1090 | 1160 | 1468 | 10mm | B T | 0642099403 |
| H1800 | Horizontal | 1145 | 1130 | 1145 | 1923 | 1" BSP | B | 0642119616 |
| H1800 TT | Horizontal | 1145 | 1130 | 1145 | 1923 | 10mm | B T | 0642119616 |
| H2500 | Horizontal | 1320 | 1265 | 1320 | 2500 | 1" BSP | B | 0642099401 |
| H2500 TT | Horizontal | 1320 | 1265 | 1320 | 2500 | 10mm | B T | 0642099401 |
| R1225 | Rectangular | 1400 | 750 | 1400 | 1337 | 1" BSP | B | 0642099404 |
| R1225 TT | Rectangular | 1400 | 750 | 1400 | 1337 | 10mm | B T | 0642099404 |
| V1300 | Vertical | | 1190 D | 1400 | 1337 | 1" BSP | B | 0642099405 |
| V1300 TT | Vertical | | 1190 D | 1400 | 1337 | 10mm | B T | 0642099405 |
| V2500 | Vertical | | 1640 D | 1400 | 2781 | 1" BSP | B | 0642099406 |
| V2500 TT | Vertical | | 1640 D | 1400 | 2781 | 10mm | B T | 0642099406 |
| V1360 | Vertical | | 1840 D | 1750 | 3902 | 1" BSP | B | 0642119615 |
| V1360 TT | Vertical | | 1840 D | 1750 | 3902 | 10mm 1/2", 1" BSP | B T | 0642119615 |
| V5000 | Vertical | | 2010 D | 2240 | 5546 | 1" BSP | B | 0642119614 |
| V5000 TT | Vertical | | 2010 D | 2240 | 5546 | 10mm 1/2", 1" BSP | B T | 0642119614 |

10.OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

MAYWELD ENGINEERING CO LTD (Continued)

Banners Lane, Halesowen, West Midlands B63 2SD vicki@mayweld.co.uk Tel: 01384 560285 Fax: 01384 411456

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|----------|-----------------|---|------|-------------------------|-------------------|-----------------|-------------------|
| | | H | W | D | | | | |
| V10000 | Vertical | 2640 | D | 2480 | 11276 | 1" BSP | B | 0642119613 |
| V10000 TT | Vertical | 2640 | D | 2480 | 11276 | 10mm 1/2", 1" BSP | B T | |

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP www.oiltanksupplies.com sales@oiltanksupplies.com Tel: 0800 169 2909 Fax: 01386 858928

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|--------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| LP1250 | Low Profile | 1800 | 1320 | 910 | 1250 | 1" BSP | B | 0646059601 |
| SL1250 | Slimline | 2000 | 650 | 1456 | 1250 | 1" BSP | B | 0645050020 |
| H1135 | Horizontal | 1855 | 1100 | 1055 | 1135 | 1" BSP | B | 064059605 |
| H1590 | Horizontal | 2000 | 1220 | 1179 | 1590 | 1" BSP | B | 0640659608 |
| H2500 | Horizontal | 2360 | 1400 | 1359 | 2500 | 1" BSP | B | 0646059604 |
| H3410 | Horizontal | 2570 | 1580 | 1605 | 3410 | 1" BSP | B | 0646029812 |
| H5000 | Horizontal | 2910 | 1750 | 1775 | 5000 | 1" BSP | B | 0646029813 |
| V1365 | Vertical | | 1300 D | 1320 | 1365 | 1" BSP | B | 0646029814 |
| V2600 | Vertical | | 1580 D | 1665 | 2600 | 1" BSP | B | 0646029815 |
| V3635 | Vertical | | 1800D | 1778 | 3635 | 1" BSP | B | 0646029816 |
| V5455 | Vertical | | 2000 D | 2008 | 5455 | 1" BSP | B | 0646029817 |
| V7270 | Vertical | | 2085 D | 2426 | 7270 | 1" BSP | B | 0646029818 |
| V10000 | Vertical | | 2300 D | 2700 | 10000 | 1" BSP | B | 0646029819 |

POLYTANK GROUP LTD

Naze Lane East, Freckleton, Preston, Lancashire PR4 1UN www.polytank.co.uk enquiries@polytank.co.uk Tel: 01772 632 850 Fax: 01772 679615

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|-----------------|------|-----------------|---|---|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| ARMATANK 1050R | | | | | 990 | | | 0674060301 |
| ARMATANK 1225R | | | | | 1225 | | | 0674030401 |
| ARMATANK 1225LP | | | | | 1200 | | | 0674060302 |
| ARMATANK 1300H | | | | | 1300 | | | 0674060303 |
| ARMATANK 1360V | | | | | 1300 | | | 0674060304 |
| ARMATANK 2250H | | | | | 2200 | | | 0674060305 |
| ARMATANK 2500V | | | | | 2500 | | | 0674060306 |
| POLYOIL 1200S | | | | | 1140 | | | 0674110801 |

QUALITY STORAGE SOLUTIONS LTD

3 Essex House, Essex Close (Off Hospital Lane), Powick, Worcester WR2 4PX www.qualitystoragesolutions.co.uk sales@qsstanks.co.uk Tel: 01299 253921 01299 250061

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| QSS V1360 | Vertical | 1450 | 1200 | 1200 | 1360 | 1" BSP | B | 0680050803 |
| QSS V2500 | Vertical | 1450 | 1650 | 1650 | 2500 | 1" BSP | B | 0680050806 |
| QSS V5000 | Vertical | 2120 | 1960 | 1960 | 5000 | 1" BSP | B | |
| QSS H1360 | Horizontal | 1180 | 1100 | 1620 | 1360 | 1" BSP | B | |
| QSS H2000 | Horizontal | 1270 | 1200 | 1950 | 2000 | 1" BSP | B | 0680050804 |
| QSS H2500 | Horizontal | 1380 | 1300 | 2150 | 2500 | 1" BSP | B | 0680050805 |
| QSS LP1230 | Low Profile | 890 | 1060 | 1830 | 1230 | 1" BSP | B | 0680050801 |
| QSS SL1230 | Slimline | 1450 | 610 | 1935 | 1230 | 1" BSP | B | 0680050802 |

TITAN ENVIRONMENTAL

(Company Kingspan Environmental Ltd)

180 Gilford Road, Portadown, Co Armagh Northern Ireland BT63 5LF www.titanenv.com sales@titanenv.com Tel: 028 3836 4400 Fax: 028 3836 4445

Dundalk Road, Carrickmacross, Co Monaghan Republic of Ireland www.titanenv.com sales@titanenv.ie Tel: 00353 4296 90022 Fax: 00353 4296 90030

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|--------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| NI | | | | | | | | |
| R1100 | Rectangular | 1320 | 705 | 1680 | 1100 | 1" BSP | B | 0643079115 |
| ROI | | | | | | | | |
| R900 | Rectangular | 1180 | 695 | 1505 | 900 | 1" BSP | B | 0647080104 |
| R1000 | Rectangular | 1350 | 590 | 1910 | 1000 | 1" BSP | B | 0647080105 |
| R1200 | Rectangular | 1220 | 700 | 1810 | 1200 | 1" BSP | B | |
| LP1200 | Low Profile | 925 | 1370 | 1785 | 1200 | 1" BSP | B | 0641110114 |
| H1100 | Horizontal | 1045 | 945 | 1940 | 1100 | 1" BSP | B | 0641119504 |
| H1360 | Horizontal | 1060 | 1080 | 1940 | 1360 | 1" BSP | B | 0641119401 |
| H1800 | Horizontal | 1170 | 1125 | 2170 | 1800 | 1" BSP | B | 0642119616 |
| H2500 | Horizontal | 1315 | 1285 | 2265 | 2500 | 1" BSP | B | 064109910 |
| V1300 | Vertical | 1415 | 1210 D | | 1300 | 1" BSP | B | 0642099405 |
| V2500 | Vertical | 1450 | 1635 D | | 2500 | 1" BSP | B | 0642099406 |
| V3500 | Vertical | 1855 | 1885 D | | 3500 | 1" BSP | B | 06420119615 |
| V5000 | Vertical | 2265 | 2035 D | | 5000 | 1" BSP | B | 0641099912 |
| V10000 | Vertical | 2500 | 2630 D | | 10000 | 1" BSP | B | 0642119613 |

10.OIL STORAGE TANKS - UNBUNDED POLYETHYLENE

TITAN ENVIRONMENTAL (Continued)

(Company Kingspan Environmental Ltd)

180 Gilford Road, Portadown, Co Armagh Northern Ireland BT63 5LF www.titanenv.com sales@titanenv.com Tel: 028 3836 4400 Fax: 028 3836 4445

Dundalk Road, Carrickmacross, Co Monaghan Republic of Ireland www.titanenv.com sales@titanenv.ie Tel: 00353 4296 90022 Fax: 00353 4296 90030

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------------|-------------|-----------------|--------|------|-------------------------|-----------------------|-----------------|-------------------|
| | | H | W | D | | | | |
| GB & NI | | | | | | | | |
| R1000 | Rectangular | 1350 | 590 | 1910 | 1000 | | | |
| R1000 TT | Rectangular | 1350 | 590 | 1910 | 1000 | | | |
| R1225 | Rectangular | 1385 | 750 | 1745 | 1225 | 1" BSP | B | 0642040232 |
| R1225 TT | Rectangular | 1385 | 750 | 1745 | 1225 | 1" BSP | T B | 0642099404 |
| LP1200 | Low Profile | 925 | 1370 | 1785 | 1200 | 1" BSP | B | 0642099509 |
| LP1200 TT | Low Profile | 925 | 1370 | 1785 | 1200 | 10mm | T B | 0642099509 |
| H1300 | Horizontal | 1145 | 1090 | 1735 | 1300 | 1" BSP | B | 0642049919 |
| H1300 TT | Horizontal | 1145 | 1090 | 1735 | 1300 | 1" BSP | B | 0642049919 |
| H1800 | Horizontal | 1170 | 1125 | 2170 | 1800 | 1" BSP | B | 0642119616 |
| H1800 TT | Horizontal | 1170 | 1125 | 2170 | 1800 | 10mm | T B | 0642119616 |
| H2500 | Horizontal | 1315 | 1285 | 2265 | 2500 | 1" BSP | B | 0642099401 |
| H2500 TT | Horizontal | 1315 | 1285 | 2265 | 2500 | 10mm | T B | 0642099401 |
| V1300 | Vertical | 1415 | 1210 D | | 1300 | 1" BSP | B | 0642099405 |
| V1300 TT | Vertical | 1415 | 1210 D | | 1300 | 1" BSP | B | 0642099405 |
| V2500 | Vertical | 1450 | 1635 D | | 2500 | 1" BSP | B | 0642099406 |
| V2500 TT | Vertical | 1450 | 1635 D | | 2500 | 1" BSP | B | 0642099406 |
| V2500 | Vertical | 1450 | 1635 D | | 2500 | | | 0642060503 |
| V5000 | Vertical | 1885 | 1885 D | | 5000 | 1" = B 10mm, 1/2" = T | T B | 0642119614 |
| V5000 TT | Vertical | 1885 | 1885 D | | 5000 | 1" = B 10mm, 1/2" = T | T B | 0642119614 |
| V10000 TT | Vertical | 2500 | 2630 D | | 10000 | 1" BSP | B | 0642119613 |
| V10000 | Vertical | 2500 | 2630 D | | 10000 | 1" = B 10mm, 1/2" = T | T B | 0642119613 |

10.OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

ATLAS TANKS

180 Gilford Road, Portadown, County Armagh, Northern Ireland BT63 5LE www.atlastanks.co.uk sales@atlastanks.co.uk Tel 028 3831 6677 Fax: 028 3831 6655

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| 1200BSA | Horizontal | 2250 | 800 | 1550 | 1200 | 10mm 1" BSP | T B | |
| 1225BSA | | | | | | | | 0667100701 |
| 1300BHA | | | | | | | | 0667100703 |
| 1350BHA | Horizontal | 1820 | 1200 | 1320 | 1350 | 10mm 1" BSP | T B | |
| 2250BHA | | | | | | | | 0667100705 |
| 2500BHA | Horizontal | 2300 | 1420 | 1150 | 2500 | 10mm 1" BSP | T B | 0667100702 |
| 5000BVA | Vertical | 2430 | | 2130 | 5000 | 1 1/2" BSP | T B | 0667100704 |

BALMORAL TANKS LTD

Balmoral Park, Loirston, Aberdeen AB12 3GY www.balmoraltanks.com tanks@balmoral.co.uk Tel: 01224 859100 Fax: 01224 859123

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|------------|-----------------|------|-------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| HB1135 | Horizontal | 1400 | 1375 | 2265 | 1135 | 10mm/1"BSP | T B | 0646040905 |
| HB1590 | Horizontal | 1400 | 1375 | 2265 | 1590 | 10mm/1"BSP | T B | 0646040906 |
| HB2500 | Horizontal | 1605 | 1700 | 2900 | 2500 | 10mm/1"BSP | T B | 0646040907 |
| HB3500 | Horizontal | 1765 | 1980 | 3150 | 3500 | 10mm/1"BSP | T B | 0646040908 |
| VB1300 | Vertical | 1580 | | Ø1720 | 1300 | 10mm/1"BSP | T B | 0646040915 |
| VB2600 | Vertical | | | | 2600 | | | 0646040916 |
| VB5000 | Vertical | | | | 5000 | | | 0646040917 |
| VB7500 | Vertical | | | | 7500 | | | 0646040918 |
| VB10,000 | Vertical | | | | 10,000 | | | 0646040914 |

BLAKE GROUP

30-32 South Fort Street, Edinburgh EH6 5NU www.blakegroup.co.uk info@blakegroup.co.uk Tel: 0131 554 1646 Fax: 0131 553 4128

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|--------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| ES1350T | Horizontal | 1745 | 1270 | 1275 | 1350 | 1/2" BSP | T | 0642069820 |
| ES2500T | Horizontal | 2530 | 1430 | 1430 | 2500 | 1/2" BSP | T | 0642069817 |
| ES5000T | Vertical | | 2225 D | 2380 | 5000 | 1/2" BSP | T | 0642109917 |
| ES1150B | Horizontal | 2070 | 1075 | 1640 | 1150 | 1/2" BSP | B | 0642070022 |
| ES1350B | Horizontal | 1945 | 1390 | 1275 | 1350 | 1/2" BSP | B | 0642069820 |
| ES2500B | Horizontal | 2530 | 1430 | 1430 | 2500 | 1/2" BSP | B | 0642069817 |
| ES5000B | Vertical | | 2225 D | 2380 | 5000 | 1/2" BSP | B | 0642109917 |
| FM2500T | Horizontal | 2530 | 1430 | 1855 | 2500 | 1" BSP | T | 0642069817 |
| FM5000T | Horizontal | 3120 | 2330 | 2090 | 5000 | 1" BSP | T | 0642070130 |
| BT2600B | Cylindrical | 2560 | 1550 | 1450 | 2800 | 1/2" BSP | B | 0641099913 |

10.OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

CLAREHILL PLASTICS LTD

21 Clarehill Road, Miora, Co Armagh, Northern Ireland BT67 0PB www.harlequinplastic.co.uk info@clarehill.com Tel: 028 9261 1077 Fax: 028 9261 2672

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|----------------------|-------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | L/D | | | | |
| 650BCT | Slimline | 1335 | 670 | 1715 | 663 | 1" BSP | B | R0644051004 |
| 650BND | Slimline | 1335 | 670 | 1715 | 663 | 1" BSP | B | 0644030802 |
| 650ENV | Slimline | 1335 | 670 | 1715 | 663 | 10mm | T | 0644030803 |
| 1000BCT | Slimline | 1420 | 710 | 2150 | 1003 | 1" BSP | B | R0644051005 |
| 1000BND | Slimline | 1420 | 710 | 2150 | 1003 | 1" BSP | B | 0644060502 |
| 1000ENV | Slimline | 1420 | 710 | 2150 | 1003 | 10mm | T | 0644060504 |
| 1100BCT | Slimline | 1605 | 920 | 1880 | 1086 | 1" BSP | B | 0644010901 |
| 1100BND | Slimline | 1605 | 920 | 1880 | 1086 | 1" BSP | B | 0644070801 |
| 1100ENV | Slimline | 1605 | 920 | 1880 | 1086 | 10mm | T | 0644070802 |
| 1200BND | Low Profile | 950 | 1600 | 1900 | 1220 | 1" BSP | B | 0644020803 |
| 1200ENV | Low Profile | 950 | 1600 | 1900 | 1220 | 10mm | T | 0644020804 |
| 1300BCT | Slimline | 1540 | 950 | 2100 | 1274 | 1" BSP | B | R0644051006 |
| 1300BND | Slimline | 1540 | 950 | 2100 | 1274 | 1" BSP | B | 0644020805 |
| 1300ENV | Slimline | 1540 | 950 | 2100 | 1274 | 10mm | T | 0644020806 |
| 1400BCT | Horizontal | 1420 | 1250 | 1900 | 1383 | 1" BSP | B | 0644010902 |
| 1400BND | Horizontal | 1420 | 1250 | 1900 | 1383 | 1" BSP | B | 0644020215 |
| 1400ENV | Horizontal | 1420 | 1250 | 1900 | 1383 | 10mm | T | 0644020214 |
| 1450BCT | Vertical | 1590 | | 1540 | 1413 | 1" BSP | B | 0644010903 |
| 1450BND | Vertical | 1590 | | 1540 | 1413 | 1" BSP | B | 0644120602 |
| 1450ENV | Vertical | 1590 | | 1540 | 1413 | 10mm | T | 0644120601 |
| 2000BCT | Horizontal | 1415 | 1320 | 2360 | 2005 | 1" BSP | B | 0644010904 |
| 2000BND | Horizontal | 1415 | 1320 | 2360 | 2005 | 1" BSP | B | 0644040702 |
| 2000ENV | Horizontal | 1415 | 1320 | 2360 | 2005 | 10mm | T | 0644040701 |
| 2500BCT | Horizontal | 1470 | 1435 | 2460 | 2491 | 1" BSP | B | 0644051003 |
| 2500BND | Horizontal | 1470 | 1435 | 2460 | 2491 | 1" BSP | B | 0644051001 |
| 2500ENV | Horizontal | 1470 | 1435 | 2460 | 2491 | 10mm | T | 0644051002 |
| 2700BCT | Horizontal | 1650 | 1720 | 2395 | 2650 | 1" BSP | B | 0644010905 |
| 2700BND | Horizontal | 1650 | 1720 | 2395 | 2650 | 1" BSP | B | 0644010009 |
| 2700ENV | Horizontal | 1650 | 1720 | 2395 | 2650 | 10mm | T | 0644010009 |
| 3500BND | Horizontal | 1890 | 1770 | 2450 | 3297 | 1" BSP | B | 0644040801 |
| 3500ENV | Horizontal | 1890 | 1770 | 2450 | 3297 | 10mm | T | 0644040802 |
| 5400BND | Vertical | 2125 | | 2575 | 5042 | 1" BSP | B | 0644010318 |
| 5400ENV | Vertical | 2125 | | 2575 | 5042 | 10mm | T | 0644010319 |
| Fuel Stations | | | | | | | | |
| 1400FS | Vertical | 1930 | | 1580 | 1413 | 1" | T | 0644060603 |
| 2500FS | Vertical | 1930 | | 2090 | 2580 | 1" | T | 0644060604 |
| 5000FS | Vertical | 2270 | 2200 | 2800 | 5042 | 1" | T | |

10.OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

DESO ENGINEERING LTD

Slade Way, Roughmoor Industrial Estate, Williton, Somerset TA4 4TB www.desoengineering.co.uk enquiries@desoengineering.co.uk Tel: 01984 632026 Fax: 01984 634267

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| V5000B | Vertical | 2120 | 2120 | 2160 | 5000 | 1" BSP | T B | 0668060212 |
| V2455B | Vertical | 1700 | 1700 | 1750 | 2455 | 1" BSP | T B | 0668060211 |
| V1340B | Vertical | 1410 | 1410 | 1520 | 1340 | 1" BSP | T B | 0668060210 |
| H2500 | Horizontal | 2400 | 1250 | 1320 | 2500 | 1" BSP | T B | 0668020313 |
| R1220 | Rectangular | 2060 | 660 | 1400 | 1900 | 1" BSP | T B | 0668020314 |
| H2500 DD | Horizontal | 1770 | 2640 | 1450 | 2500 | 1" BSP | T B | 0668070414 |
| H1900 | Horizontal | | | | | | T | 0668030706 |
| H1235 | Horizontal | | | | | | | 0668030708 |

POLYTANK GROUP LTD

Naze Lane East, Freckleton, Preston, Lancashire PR4 1UN www.polytank.co.uk enquiries@polytank.co.uk Tel: 01772 632 850 Fax: 01772 679615

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|----------------|------|-----------------|---|---|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| ARMATANK 1225R | | | | | 1225 | | | 0674080403 |
| ARMATANK 1300H | | | | | 1300 | | | 0674080402 |
| ARMATANK 2250H | | | | | 2200 | | | 0674060701 |
| POLYOIL 1200SB | | | | | 1140 | | | 0674110802 |

QUALITY STORAGE SOLUTIONS LTD

3 Essex House, Essex Close (Off Hospital Lane), Powick, Worcester WR2 4PX www.qualitystoragesolutions.co.uk sales@qsstanks.co.uk Tel: 01299 253921 01299 250061

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|-------------------|-----------------|------|------------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| QSS BV1360 | Vertical Bunded | 1630 | 1440 | 1440 | 1360 | 1" BSP | T B | |
| QSS BV2500 | Vertical Bunded | 1625 | 1900 | 1900 | 2500 | 1" BSP | T B | |
| QSS BV5000 | Vertical Bunded | 2400 | 2190 | 2190 | 5000 | 1" BSP | T B | |
| QSS BH1360 | Horizontal Bunded | 1350 | 1300 | 1870 | 1360 | 1" BSP | T B | |
| QSS BH2000 | Horizontal Bunded | 1420 | 1400 | 2230 | 2000 | 1" BSP | T B | |
| QSS BH2500 | Horizontal Bunded | 1575 | 1480 | 2430 | 2500 | 1" BSP | T B | |
| QSS BSL1230 | Slimline Bunded | 1610 | 910 | 2250 | 1230 | 1" BSP | T B | |
| QSS FB1360 | Fuel Bank | 1595 | 1300 | 1870 | 1360 | N/A | N/A | |
| QSS FB2500 | Fuel Bank | 1830 | 1480 | 2430 | 2500 | N/A | N/A | |
| QSS FB5000 | Fuel Bank | 2400 | 2190 | 2890 (Max) | 5000 | N/A | N/A | |

10.OIL STORAGE TANKS - INTEGRALLY BUNDED POLYETHYLENE

TITAN ENVIRONMENTAL

(Company Kingspan Environmental Ltd)

180 Gilford Road, Portadown, Co Armagh Northern Ireland BT63 5LF www.titanenv.com sales@titanenv.com Tel: 028 3836 4400 Fax: 028 3836 4445

Dundalk Road, Carrickmacross, Co Monaghan Republic of Ireland www.titanenv.com sales@titanenv.ie Tel: 00353 4296 90022 Fax: 00353 4296 90030

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No | |
|-------------------------|------------|-----------------|------|--------|-------------------------|-------------|-----------------|-------------------|--------------------------|
| | | H | W | D | | | | | |
| NI | | | | | | | | | |
| ES650 | EcoSafe | Vertical | 1400 | 1050 D | 650 | 1" BSP | T B | 0642030802 | |
| GB, NI & ROI | | | | | | | | | |
| ESLP1200 | EcoSafe | Low Profile | 1090 | 1540 | 1940 | 1200 | 1" BSP | B | 0642041001 |
| ES1000 | EcoSafe | Horizontal | 1500 | 695 | 2140 | 1000 | 1" BSP | T B | 0642110427 |
| ES1225 | EcoSafe | Horizontal | 1495 | 900 | 2000 | 1225 | 1" BSP | T B | 0642110428 |
| ESV1300 | EcoSafe | Vertical | 1485 | 1550 D | | 1300 | 1" BSP | T B | 0642041002 |
| ES1300 | EcoSafe | Horizontal | 1310 | 1265 | 1935 | 1300 | 1" BSP | T B | 0642109918 |
| ES1800 | EcoSafe | Horizontal | 1345 | 1300 | 2360 | 1800 | 1" BSP | T B | 0642110430 |
| ESV2500 | EcoSafe | Vertical | 1490 | 2000 D | | 2500 | 1" BSP | T B | |
| ES2500 | EcoSafe | Horizontal | 1465 | 1425 | 2450 | 2500 | 1" BSP | T B | 0642110431 |
| ES3500 | EcoSafe | Vertical | 1940 | 2180 D | | 3500 | 1" BSP | T B | 0642110432 |
| ES5000 | EcoSafe | Vertical | 2420 | 2230 D | | 5000 | 1" BSP | T B | 0642110433 |
| ES9000 | EcoSafe | Vertical | 2950 | 2460 D | | 9000 | 1" BSP | B | |
| ESV10000 | EcoSafe | Vertical | 2950 | 2800 D | | 10000 | 1" BSP | T B | Plastic inner 0642119613 |
| FM1300 | FuelMaster | Horizontal | 1785 | 1245 | 1890 | 1300 | | | 0642110434 |
| FM2500 | FuelMaster | Horizontal | 1855 | 1420 | 2430 | 2500 | | | 0642110435 |
| FM3500 | FuelMaster | Vertical | 1900 | 2680 | 2080 | 3500 | | | 0642030601 |
| FM5000 | FuelMaster | Horizontal | 2335 | 2070 | 3140 | 5000 | | | 0642110436 |
| FMV5000 | FuelMaster | Vertical | 2420 | 2890 | 2230 | 5000 | | | 0642110437 |
| FMV9000 | FuelMaster | Vertical | 2950 | 2460 | 3580 | 9000 | | | |
| FMV10000 | FuelMaster | Vertical | 3300 | 2800 | 3007 | 10000 | | | Plastic inner 0642119613 |

BALMORAL TANKS LTD

Balmoral Park, Loirston, Aberdeen AB12 3GY www.balmoraltanks.com tanks@balmoral.co.uk Tel: 01224 859100 Fax: 01224 859123

| Product Name | Type | Dimensions (mm) | | | Capacity Nominal Litres | Outlet Size | Outlet Position | OFCERT License No |
|--------------|------------|-----------------|------|------|-------------------------|-------------|-----------------|-------------------|
| | | H | W | D | | | | |
| UF1370 | Horizontal | 1900 | 1150 | 2017 | 1370 | 10mm | T | |
| UF2410 | Horizontal | 2350 | 1350 | 2218 | 2410 | 10mm | T | |
| UF3090 | Horizontal | 3200 | 1350 | 2218 | 3090 | 10mm | T | |