

11.OIL STORAGE TANKS - UNBUNDED STEEL

BLAKE GROUP

30-32 South Fort Street, Edinburgh EH6 5NU www.blakegroup.co.uk info@blakegroup.co.uk Tel: 0131 554 1646 Fax: 0131 553 4128

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 10 Litres to 100,000 Litres	Rectangular/Cylindrical	To Suit			10L to 100,000L	Various	Bottom & Top	Up to 3500L 07a69040201

J A ENVIROTANKS

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
Single Skinned Tank	Rectangular	1220	1220	1520	2272	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1220	1830	2727	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1220	1910	2841	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1220	1980	2954	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1220	2290	3409	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1220	2440	3636	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1520	2440	4545	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1220	3050	4545	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1520	1520	2440	5682	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	1520	3050	5682	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1520	1520	3050	6818	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1830	1830	2440	7955	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1220	2440	3050	9091	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1520	2440	2440	9091	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1520	2440	3050	11365	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1520	2440	3660	13637	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	1830	2440	3050	13637	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	2440	3050	18183	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	2440	3960	22729	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	3050	3660	27275	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	3050	4270	31821	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	3050	4880	36367	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	3050	5490	40913	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	2440	3050	6100	45459	As Required	Top or Bottom	07a71060201
Single Skinned Tank	Rectangular	3050	3050	6100	54551	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	1750	1370 D		2273	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	2060	1370 D		2841	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	2440	1370 D		3409	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	3280	1370 D		4546	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	3360	1520 D		5682	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	2820	1830 D		6819	As Required	Top or Bottom	07a71060201

11.OIL STORAGE TANKS - UNBUNDED STEEL

J A ENVIROTANKS (Continued)

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenviro tanks.com sales@jaenviro tanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
Vertical Single Skinned Tank	Cylindrical	3360	1830	D	7955	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	3280	1980	D	9092	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	3730	1830	D	9092	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	3960	1980	D	11365	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	4650	1830	D	11365	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	4120	2130	D	13638	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	4800	1980	D	13638	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	5560	1830	D	13638	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	4720	2290	D	18184	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	5960	2290	D	22730	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	5100	2440	D	22730	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	5030	2740	D	27275	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	6170	2440	D	27275	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	5790	2740	D	31821	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	6450	2740	D	36367	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	7310	2740	D	40913	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	8050	2740	D	45459	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	9750	2740	D	54551	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	10260	3000	D	68189	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	13650	3000	D	90918	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	14930	3000	D	100010	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	16930	3000	D	113647	As Required	Top or Bottom	07a71060201
Vertical Single Skinned Tank	Cylindrical	11730	4000	D	136377	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1370	D	1750	2273	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1370	D	2060	2841	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1370	D	2440	3409	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1370	D	3280	4546	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1520	D	3360	5682	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1830	D	2820	6819	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1830	D	3360	7955	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1980	D	3280	9091	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1830	D	3730	9091	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1980	D	3960	11364	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1830	D	4650	11364	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2130	D	4120	13637	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1980	D	4800	13637	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	1830	D	5560	13637	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2290	D	4720	18184	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2440	D	4300	18183	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2290	D	5940	22729	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2440	D	5110	22729	As Required	Top or Bottom	07a71060201

11.OIL STORAGE TANKS - UNBUNDED STEEL

J A ENVIROTANKS (Continued)

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
Horizontal Single Skinned Tank	Cylindrical	2590 D		5490	27275	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2740 D		5030	27275	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2440 D		6170	27275	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2740 D		5790	31821	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2740 D		6480	36367	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2740 D		7320	40913	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2740 D		8050	45459	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	2740 D		9750	54551	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	3000 D		10260	68189	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	3000 D		13570	90918	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	3000 D		14930	100010	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	3000 D		16910	113647	As Required	Top or Bottom	07a71060201
Horizontal Single Skinned Tank	Cylindrical	4000 D		11730	136377	As Required	Top or Bottom	07a71060201

J SEED & CO LTD

Moss Lane, Lostock Hall, Preston, Lancs, PR5 5BT info@jseed.co.uk Tel: 01772 338892 Fax: 01772 628414

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
250	Gallons	Rectangular	1220	620	1525	1125	Optional	Optional
300	Gallons	Rectangular	1220	620	1830	1360	Optional	Optional
550	Gallons	Rectangular	1220	1143	1830	2500	Optional	Optional
600	Gallons	Rectangular	1220	1220	1830	2700	Optional	Optional

Any additional sizes available on request from 500 litres up to 100,000 litres. Triangular tanks available.

MAYWELD ENGINEERING CO LTD

Banners Lane, Halesowen, West Midlands B63 2SD vicki@mayweld.co.uk Tel: 01384 560285 Fax: 01384 411456

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
250	Gallons	Rectangular	1500	600	1220	1125	1"	B
300	Gallons	Rectangular	1830	600	1220	1350	1"	B
600	Gallons	Rectangular	1830	1220	1220	2700	1"	B

Additional sizes are available to order including 5000 Gallon (22500 Litre) capacity.

11.OIL STORAGE TANKS - UNBUNDED STEEL

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP www.oiltanksupplies.com sales@oiltanksupplies.com Tel: 0800 169 2909 Fax: 01386 858928

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
OTS1135	Horizontal	1525	610	1220	1078	1" BSP	B	07a700502201
OTS1365	Horizontal	1830	610	1220	1296	1" BSP	B	07a700502201
OTS2500	Horizontal	1675	1220	1220	2375	1" BSP	B	07a700502201
OTS2500	Horizontal	2285	914	1220	2375	1" BSP	B	07a700502201
OTS2500	Horizontal	2285	610	1830	2375	1" BSP	B	07a700502201
OTS2700	Horizontal	1830	1220	1220	2565	1" BSP	B	07a700502201
OTS3700	Horizontal	2440	1220	1220	3515	1" BSP	B	07a700502201
OTS4500	Horizontal	2440	1525	1220	4275	1" BSP	B	07a700502201
OTS5700	Horizontal	2440	1525	1525	5415	1" BSP	B	07a700502201
OTS6800	Horizontal	3000	1500	1525	6460	1" BSP	B	07a700502201
OTS8200	Horizontal	2440	1830	1830	8220	1" BSP	B	07a700502201
OTS9100	Horizontal	3000	1700	1830	8645	1" BSP	B	07a700502201
OTS11375	Horizontal	3400	1830	1830	11375	1" BSP	B	07a700502201
OTS13700	Horizontal	3500	2300	1830	13015	1 1/2" BSP	B	07a700502201
OTS18000	Horizontal	4500	2300	1830	17100	1 1/2" BSP	B	07a700502201
OTS22700	Horizontal	5450	2400	1830	21565	1 1/2" BSP	B	07a700502201
OTS27000	Horizontal	6700	2300	1830	25650	1 1/2" BSP	B	07a700502201
OTS31850	Horizontal	3500	2340	2000	30257	2" BSP	B	07a700502201
OTS36000	Horizontal	7320	2000	1830	34200	2" BSP	B	07a700502201
OTS45000	Horizontal	8350	2850	2000	42750	2" BSP	B	07a700502201
OTS51000	Horizontal	9800	2350	2000	48450	3-4" BSP	B	07a700502201
OTS54000	Horizontal	9800	2900	2000	51300	3-4" BSP	B	07a700502201
OTS82000	Horizontal	11500	3000	2500	77900	3-4" BSP	B	07a700502201

S. KORONKA (MANUFACTURING) LIMITED

1 Clashburn Road, Bridgend Industrial Estate, Bridgend, Kinross KY13 8GB www.koronka.co.uk trevor.koronka@koronka.co.uk Tel: 01577 862189 Fax: 01577 864773

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 500 Litres to 180,000 Litres	Rectangular/Cylindrical				500L to 180,000L			

11.OIL STORAGE TANKS - INTEGRALLY BUNDED STEEL

BLAKE GROUP

30-32 South Fort Street, Edinburgh EH6 5NU www.blakegroup.co.uk info@blakegroup.co.uk Tel: 0131 554 1646 Fax: 0131 553 4128

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 10 Litres to 100,000 Litres	Rectangular/Cylindrical	To Suit			10L to 100,000L	Various	Bottom & Top	07b69040201

J A ENVIROTANKS

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
Envirotank Aboveground	Rectangular	1220	1190	1753	2273	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1190	2104	2727	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1190	2192	2841	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1190	2274	2954	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1190	2631	3409	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1190	2806	3636	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1495	2792	4546	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1190	3507	4546	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1525	1495	2792	5682	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	1495	3490	5682	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1525	1495	3351	6819	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	1800	2704	7955	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1220	2398	3466	9091	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1525	2398	2772	9091	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1525	2398	3465	11364	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1525	2398	4159	13637	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	2398	3466	13637	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	3696	18183	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	4610	22729	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	5532	27275	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	6454	31821	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	7376	36367	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	8298	40913	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	9220	45459	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	1830	3008	11064	54550	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	3048	3008	10261	80000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	3048	3008	12830	100000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	3650	3008	12870	120000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Rectangular	3650	3618	12500	140000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	1250 D		2040	2000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	1500 D		3610	5000	As Required	Top or Bottom	07b71060202

11.OIL STORAGE TANKS - INTEGRALLY BUNDED STEEL

J A ENVIROTANKS (Continued)

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
Envirotank Aboveground	Cylindrical	1900 D		3120	7000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	1900 D		4400	10000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	1900 D		5260	12000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		3000	13637	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	1900 D		6580	15000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		3903	18184	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2500 D		5060	20000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		4745	22729	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2500 D		6325	25000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		5270	25000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		5598	27275	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2500 D		7600	30000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		6280	30000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		6452	31821	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		7305	36368	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	3000 D		6940	40000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		8070	40000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		8160	40913	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		8984	45459	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	3000 D		8700	50000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		10100	50000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		10980	54551	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	3000 D		10470	60000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		12100	60000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	2743 D		13594	68189	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	3000 D		13700	80000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	3000 D		17025	100000	As Required	Top or Bottom	07b71060202
Envirotank Aboveground	Cylindrical	3000 D		18700	110000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	1100	1180	2000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	1180	1660	3000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	1485	2170	5000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	1790	2520	7000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	1790	3590	10000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	2398	4020	15000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	2398	5360	20000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	2398	6700	25000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	3008	6410	30000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	3008	8550	40000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	3008	10690	50000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	3618	10660	60000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank Aboveground	Rectangular	1830	3618	12440	70000	As Required	Top or Bottom	07b71060202

11.OIL STORAGE TANKS - INTEGRALLY BUNDED STEEL

J A ENVIROTANKS (Continued)

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
T34 Range Envirotank Aboveground	Rectangular	1830	3618	14220	80000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	1100	1180	2000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	1180	1660	3000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	1485	2170	5000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	1790	2520	7000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	1790	3590	10000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	2398	4020	15000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	2398	5360	20000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	2398	6700	25000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	3008	6410	30000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	3008	8550	40000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	3008	10690	50000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	3618	10660	60000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	3618	12440	70000	As Required	Top or Bottom	07b71060202
T34 Range Envirotank AG - Secondary Removable Pitched Roof	Rectangular	1830	3618	14220	80000	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1220	1170	1750	1364	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1220	1170	2350	2273	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1220	1170	2670	2727	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1220	1170	3300	3636	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1220	1170	3950	4546	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1220	1170	4750	5682	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1524	1474	3800	6819	As Required	Top or Bottom	07b71060202
Gravity Fed Envirotank	Rectangular	1524	1474	4800	9091	As Required	Top or Bottom	07b71060202
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 2438 x 1981 x 533		1372 D	2273	2273	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 4115 x 1981 x 610		1372 D	4546	4546	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 3658 x 2743 x 762		1829 D	6819	6819	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 3962 x 2743 x 914		1981 D	9091	9091	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 4877 x 2896 x 914		1981 D	11364	11364	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 4877 x 2896 x 1067		2134 D	13637	13637	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 5486 x 3048 x 1219		2286 D	18183	18183	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 6705 x 3048 x 1219		2286 D	22729	22729	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 5791 x 3429 x 1524		2743 D	27275	27275	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 6706 x 3658 x 1524		2743 D	31821	31821	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 7312 x 3658 x 1524		2743 D	36367	36367	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 8230 x 3658 x 1524		2743 D	40913	40913	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 8992 x 3658 x 1524		2743 D	45459	45459	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 10668 x 3658 x 1524		2743 D	54551	54551	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Cylindrical	Bund Size: 10973 x 3658 x 1829		3000 D	68189	68189	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 2438 x 1828 x 686	1219	1219	1828	2727	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 3048 x 1828 x 914	1524	1219	2438	4545	As Required	Top or Bottom
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 3657 x 1828 x 914	1524	1219	3048	5682	As Required	Top or Bottom

11.OIL STORAGE TANKS - INTEGRALLY BUNDED STEEL

J A ENVIROTANKS (Continued)

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type		Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
			H	W	D/Length				
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 3657 x 2311 x 914	1524	1524	3048	6818	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 3962 x 2133 x 1219	2438	1219	3048	9091	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 4191 x 2438 x 1219	2438	1524	3048	11364	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 3657 x 2743 x 1524	2438	1828	3048	13637	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 3657 x 3505 x 1524	2438	2438	3048	18183	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 4876 x 3429 x 1524	2438	2438	3962	22729	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 5486 x 3352 x 1676	2438	2438	4572	27275	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 6400 x 3352 x 1676	2438	2438	5486	31821	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 7010 x 3352 x 1701	2438	2438	6096	36367	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 7315 x 3352 x 1829	2743	2438	6096	40913	As Required	Top or Bottom	
S/S Tank in Open Steel Bund	Rectangular	Bund Size: 7315 x 3352 x 1981	3048	2438	6096	45459	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 1981 x 1981 x 686	1752		1371 D	2270	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 1981 x 1981 x 1371	3276		1371 D	4545	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 2286 x 2286 x 1524	2819		1828 D	6818	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 2438 x 2438 x 1676	3276		1981 D	9120	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 2591 x 2591 x 1828	3505		2134 D	11364	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 2896 x 2896 x 1828	3124		2438 D	13638	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 3200 x 3200 x 1981	3352		2743 D	18183	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 3657 x 3505 x 1981	3505		3000 D	22730	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 4114 x 3656 x 1981	5029		2743 D	27275	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 3810 x 3656 x 2896	6477		2743 D	36368	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 4724 x 3656 x 2896	8051		2743 D	45459	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 5638 x 3656 x 2896	9753		2743 D	54551	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 5638 x 3656 x 3656	10261		3000 D	68189	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 7010 x 3656 x 1981	6477		2743 D	72735	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 8382 x 3656 x 1981	8051		2743 D	90919	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 9753 x 3656 x 1981	9753		2743 D	109103	As Required	Top or Bottom	
S/S Vertical Tank in Open Bund	Cylindrical	Bund Size: 12115 x 3656 x 1981	10261		3000 D	136379	As Required	Top or Bottom	

J SEED & CO LTD

Moss Lane, Lostock Hall, Preston, Lancs, PR5 5BT info@jseed.co.uk Tel: 01772 338892 Fax: 01772 628414

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 500 litres to 80,000 litres	Rectangular/Cylindrical				500L to 80,000L			
Tanks to any sizes or designs in mild steel and stainless steel.								

11.OIL STORAGE TANKS - INTEGRALLY BUNDED STEEL

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP www.oiltanksupplies.com sales@oiltanksupplies.com Tel: 0800 169 2909 Fax: 01386 858928

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
OTS1135	Horizontal - Rectangular	1625	700	1275	1078	1" BSP	T B	07b70050202
OTS1365	Horizontal - Rectangular	1930	700	1275	1296	1" BSP	T B	07b70050202
OTS2500	Horizontal - Rectangular	1930	1350	1250	2375	1" BSP	T B	07b70050202
OTS2700	Horizontal - Rectangular	1775	1350	1250	2565	1" BSP	T B	07b70050202
OTS3600	Horizontal - Rectangular	2600	1350	1250	3420	1" BSP	T B	07b70050202
OTS4500	Horizontal - Rectangular	2600	1350	1525	4275	1" BSP	T B	07b70050202
OTS6800	Horizontal - Rectangular	3100	1600	1655	6460	1" BSP	T B	07b70050202
OTS9100	Horizontal - Rectangular	3100	1800	1960	8645	1" BSP	T B	07b70050202
OTS10000	Horizontal - Rectangular	3200	2200	16960	9500	1" BSP	T B	07b70050202
OTS15000	Horizontal - Rectangular	4000	2500	1960	14250	1 1/2" BSP	T B	07b70050202
OTS20000	Horizontal - Rectangular	4800	2750	1960	19000	1 1/2" BSP	T B	07b70050202
OTS30000	Horizontal - Rectangular	7250	2750	1960	28500	1 1/2" BSP	T B	07b70050202
OTS35000	Horizontal - Rectangular	7490	3550	1960	33250	2" BSP	T B	07b70050202
OTS40000	Horizontal - Rectangular	8000	3050	2130	38000	2" BSP	T B	07b70050202
OTS45000	Horizontal - Rectangular	8500	3050	2130	42750	2" BSP	T B	07b70050202
OTS50000	Horizontal - Rectangular	9400	3200	2130	47500	3" BSP	T B	07b70050202
OTS60000	Horizontal - Rectangular	10600	3150	2130	57000	3" BSP	T B	07b70050202
OTS70000	Horizontal - Rectangular	7650	3750	3250	66500	3-4" BSP	T B	07b70050202
OTS80000	Horizontal - Rectangular	8650	3700	3250	76000	3-4" BSP	T B	07b70050202
OTS90000	Horizontal - Rectangular	9750	3750	3250	85500	3-4" BSP	T B	07b70050202
OTS100000	Horizontal - Rectangular	10850	3750	3200	95000	4" BSP	T B	07b70050202
OTS110000	Horizontal - Rectangular	11850	3750	3250	104500	4" BSP	T B	07b70050202
OTS125000	Horizontal - Rectangular	13450	3750	3250	118750	4" BSP	T B	07b70050202

S. KORONKA (MANUFACTURING) LIMITED

1 Clashburn Road, Bridgend Industrial Estate, Bridgend, Kinross KY13 8GB www.koronka.co.uk trevor.koronka@koronka.co.uk Tel: 01577 862189 Fax: 01577 864773

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 500 Litres to 180,000 Litres	Rectangular/Cylindrical				500L to 180,000L			From 500L to 50,000L
Inner tanks can be constructed of stainless steel if required.								07b79030801

11.OIL STORAGE TANKS - UNDERGROUND STEEL

J A ENVIROTANKS

PO Box 16, Charles Henry Street, Birmingham B12 0SP www.jaenvirotanks.com sales@jaenvirotanks.co.uk Tel: 0121 622 4661 Fax: 0121 622 1402

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D/Length				
Envirotank Belowground - Double Skinned	Cylindrical	1530 D	1416	2000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	1530 D	3250	5000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	1930 D	2815	7000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	1930 D	3985	10000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	1930 D	4740	12000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	2720	13637	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	3192	13637	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	1930 D	5915	15000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	3527	18184	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	4165	18184	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	4625	20000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	4280	22729	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	5092	22729	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	5685	25000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	4785	25000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	5042	27275	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	6054	27275	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	6825	30000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	5685	30000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	5803	31821	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	7017	31821	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	7690	35000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	6565	36,368	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	7980	36368	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	8668	40000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	7251	40000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	7327	40913	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	8860	40,913	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	8064	45459	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	9814	45459	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	10766	50,000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	9205	50000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	9766	54551	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	11721	54551	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	11815	55000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	12865	60,000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	11005	60000	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2773 D	12180	68189	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	2530 D	14583	68,189	As Required	Top		
Envirotank Belowground - Double Skinned	Cylindrical	Maximum Available Volume On Request			100000	As Required	Top	

11.OIL STORAGE TANKS - UNDERGROUND STEEL

J SEED & CO LTD

Moss Lane, Lostock Hall, Preston, Lancs, PR5 5BT info@jseed.co.uk Tel: 01772 338892 Fax: 01772 628414

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 600 litres up to 5000 litres					600L to 5000L			
Tanks in mild steel or stainless steel if required.								

MAYWELD ENGINEERING CO LTD

Banners Lane, Halesowen, West Midlands B63 2SD vicki@mayweld.co.uk Tel: 01384 560285 Fax: 01384 411456

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
250 Gallon D/S	Rectangular	1650	750	1370	1125	Optional	Optional	
300 Gallon D/S	Rectangular	1980	750	1370	1350	Optional	Optional	
600 Gallon D/S	Rectangular	1980	1370	1370	2700	Optional	Optional	

OIL TANK SUPPLIES LTD

Springhill Industrial Estate, Springhill, Moreton-in-Marsh, Gloucestershire, GL56 9TP www.oiltanksupplies.com sales@oiltanksupplies.com Tel: 0800 169 2909 Fax: 01386 858928

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
U/G Tank 1500	Cylindrical		1150	1524	1500			
U/G Tank 2000	Cylindrical		1150	2035	2000			
U/G Tank 2500	Cylindrical		1150	2535	2500			
U/G Tank 3000	Cylindrical		1150	3045	3000			
U/G Tank 3500	Cylindrical		1150	3550	3500			
U/G Tank 4000	Cylindrical		1150	4060	4000			
U/G Tank 4500	Cylindrical		1150	4562	4500			
U/G Tank 5000	Cylindrical		1150	5070	5000			
All of the above are flat ended (reinforced). 5mm inner tank, 5mm outer shell, 6mm ends, 3mm outer shell. Air tested to 0.7 bar, 600mm manway with connections 20mm internal suction pipe with footvalve and strainer. Painted with 2 coats of black bitumen for concrete encasement.								
U/G Tank 10,000	Cylindrical		1900	3985	10,000			
Dished ends, 5mm inner tank, 4mm outer tank, 4mm outer shell, 6mm ends. Air tested to 0.7 bar 600mm manway with connections 20mm internal suction pipe with footvalve and strainer. Painted with 2 coats of black bitumen for concrete encasement.								
Extras: Leak detection, dipstick.								

11.OIL STORAGE TANKS - UNDERGROUND STEEL

S. KORONKA (MANUFACTURING) LIMITED

1 Clashburn Road, Bridgend Industrial Estate, Bridgend, Kinross KY13 8GB www.koronka.co.uk trevor.koronka@koronka.co.uk Tel: 01577 862189 Fax: 01577 864773

Product Name	Type	Dimensions (mm)			Capacity Nominal Litres	Outlet Size	Outlet Position	OFCERT License No
		H	W	D				
From 500 Litres to 180,000 Litres	Rectangular/Cylindrical				500L to 180,000L			
Inner tanks can be constructed of stainless steel if required.								